



PVC PRESSURE PIPES AND FITTINGS


(SCH80)

PRESSURE




ASTM D2467

PVC PRESSURE PIPES & FITTINGS (SCH80)



ITEM NO: US8001




NSF

ITEM NO:US8E01

● PRESSURE PIPES

Size Nom	Outer Dia	Wall Thickness
1/2"	21.34	3.73
3/4"	26.67	3.91
1"	33.4	4.55
1 1/4"	42.16	4.85
1 1/2"	48.26	5.08
2"	60.33	5.54
2 1/2"	73.03	7.01
3"	88.9	7.62
4"	114.3	8.56
6"	168.3	10.97




NSF

ITEM NO:US8003

● COUPLING

Size Nom	D	d	H	L
1/2"	29.3	21.34	48.8	22.7
3/4"	35.1	26.67	55.2	26.0
1"	43.1	33.4	61.6	29.1
1 1/4"	52.4	42.16	67.4	32.3
1 1/2"	59	48.26	74.3	35.4
2"	72	60.33	80.1	38.6
2 1/2"	87.8	73.03	95.3	45
3"	104.9	88.9	101	48.1
4"	132.4	114.3	120.5	57.4
6"	191.2	168.3	160.3	76.7
8"	247.2	219.08	212	102.6
10"	305.9	273.05	263	128
12"	361.5	323.85	317	153.5




ITEM NO:US8C01

● MALE ADAPTOR WITH BRASS

Size Nom	D1	D	d	H	L	G
1/2"	30.4	29.4	21.34	44.2	22.7	1/2"
3/4"	36.1	35.1	26.67	48.9	25.9	3/4"
1"	44.1	43.1	33.4	54.5	29.1	1"
1 1/4"	53.4	52.4	42.16	63.1	32.3	1 1/4"
1 1/2"	60	59	48.26	69.7	35.4	1 1/2"
2"	73	72	60.33	76.1	38.6	2"

● 45° ELBOW

Size Nom	D	d	L
1/2"	29.3	21.34	22.7
3/4"	35.1	26.67	25.9
1"	43.1	33.4	29.1
1 1/4"	52.4	42.16	32.3
1 1/2"	59	48.26	35.4
2"	72.5	60.33	38.6
2 1/2"	87.8	73.03	45
3"	104.9	88.9	48.1
4"	132.4	114.3	57.6
6"	191.2	168.3	76.7
8"	247.2	219.08	102.6
10"	305.9	273.05	128
12"	361.5	323.85	153.5




NSF

ITEM NO:US8004

● REDUCING COUPLING

Size Nom	D	d1	d2	d3	H	L1	L2
3/4"X1/2"	35.1	26.67	29.3	21.34	57.5	25.9	22.7
1"X1/2"	43.4	33.4	29.8	21.34	63.1	29.1	22.7
1"X3/4"	43.1	33.4	35.5	26.67	65.4	29.1	25.9
1 1/4"X1/2"	52.4	42.16	29.3	21.34	66.4	32.3	22.7
1 1/4"X3/4"	52.4	42.16	35.1	26.67	67.6	32.3	25.9
1 1/4"X1"	52.4	42.16	43.4	33.4	72.2	33	28.2
1 1/2"X1/2"	59	48.26	29.3	21.34	70.5	35.4	22.7
1 1/2"X3/4"	59	48.26	35.5	26.67	73.7	35.4	25.9
1 1/2"X1"	59	48.26	43.5	33.4	76.9	35.4	28.8
1 1/2"X1 1/4"	59	48.26	52.4	42.16	80.1	35.4	32.3
2"X1/2"	72	60.33	29.3	21.34	79.7	38.6	22.7
2"X3/4"	72	60.33	35.1	26.67	81.4	38.6	25.9
2"X1"	72	60.33	43.1	33.4	84.6	38.6	29.1
2"X1 1/4"	72	60.33	52.4	42.16	87.8	38.6	32.3
2"X1 1/2"	72	60.33	59	48.26	90.9	38.6	35.4




NSF

ITEM NO:US8T04

● FEMALE TEE

Size Nom	D	d	L	H	NPT
1/2"	32.5	21.34	22.7	70.8	1/2"
3/4"	38.1	26.67	25.9	82.5	3/4"
1"	46	33.4	29.1	97.4	1"




NSF

ITEM NO: US8E02

90° ELBOW

Size Nom	D	d	L
1/2"	29.8	21.34	22.7
3/4"	35.6	26.67	25.9
1"	43.1	33.4	29.1
1 1/4"	52.4	42.16	32.3
1 1/2"	59	48.26	35.4
2"	72	60.33	38.6
2 1/2"	87.8	73.03	45
3"	104.9	88.9	48.1
4"	132.4	114.3	56.6
6"	190.9	168.3	76.7
8"	247.2	219.08	102.6
10"	305.9	273.05	128
12"	361.5	323.85	153.5




NSF

ITEM NO: US8T01

STRAIGHT TEE

Size Nom	D	d	L	H
1/2"	29.3	21.34	22.4	70.8
3/4"	35.4	26.67	25.9	82.4
1"	43.1	33.4	29.1	97.6
1 1/4"	52.4	42.16	32.3	110.9
1 1/2"	59	48.26	35.4	122.7
2"	72	60.33	38.6	142.7
2 1/2"	87.8	73.03	45	168.2
3"	104.9	88.9	48.1	190.2
4"	132.4	114.3	57.6	235.6
6"	191.2	168.3	76.7	333.2
8"	247.2	219.08	102.6	445
10"	305.9	273.05	128	556
12"	361.5	323.85	153.5	663




NSF

ITEM NO: US8T02

REDUCING TEE

Size Nom	D	d1	d2	d3	L1	L2	H
3/4"X1/2"	35.5	26.67	30	21.34	25.9	22.7	79.1
1"X1/2"	43.1	33.4	29.3	21.34	29.1	22.7	80.5
1"X3/4"	43.1	33.4	35.1	26.67	29.1	25.9	91
1 1/4"X1/2"	52.4	42.16	29.3	21.34	32.3	22.7	92.2
1 1/4"X3/4"	52.4	42.16	35.1	26.67	32.3	25.9	97.3
1 1/4"X1"	52.4	42.16	43.1	33.4	32.3	29.1	105.8
1 1/2"X1/2"	59	48.26	29.3	21.34	35.4	22.7	97.6
1 1/2"X3/4"	59	48.26	35.1	26.67	35.4	25.9	103.7
1 1/2"X1"	59	48.26	43.1	33.4	35.4	29.1	110.5
1 1/2"X1 1/4"	59	48.26	52.4	42.16	35.4	32.3	118.9
2"X1/2"	72	60.33	29.3	21.34	38.6	22.7	104.7
2"X3/4"	72	60.33	35.1	26.67	38.6	25.9	109.7
2"X1"	72	60.33	43.1	33.4	38.6	29.1	115.9
2"X1 1/4"	72	60.33	52.4	42.16	38.6	32.3	124.6
2"X1 1/2"	72	60.3	59	48.26	38.6	35.4	131.6




NSF

ITEM NO: US8011


FEMALE ADAPTOR

Size Nom	D	d	H	L	NPT
1/2"	32.5	21.34	45.7	22.7	1/2"
3/4"	38.1	26.67	54.8	25.9	3/4"
1"	46	33.4	58.7	29.1	1"
1 1/4"	55.9	42.16	64.3	32.3	1 1/4"
1 1/2"	63.5	48.26	70.9	35.4	1 1/2"
2"	76.2	60.33	74.6	38.6	2"
2 1/2"	87.8	73.03	92.3	45	2 1/2"
3"	104.9	88.9	97.9	48.1	3"
4"	132.4	114.3	109.9	57.6	4"
6"	191.2	168.3	135.6	76.7	6"
8"	247.2	219.08	167	102.6	8"
10"	305.9	273.05	198	128	10"
12"	361.5	323.85	231.5	153.5	12"



NSF

ITEM NO: US8016




NSF

ITEM NO: US8005

● END PLUG

Size Nom	D	d	L	H
1/2"	29.3	21.34	22.7	39.7
3/4"	35.1	26.67	25.9	33.7
1"	43.1	33.4	29.1	33.8
1 1/4"	52.4	42.16	32.3	43
1 1/2"	59	48.26	35.4	45.8
2"	72	60.33	38.6	51.8
2 1/2"	87.58	73.38	44.95	56.85
3"	104.9	88.9	51.0	66.0
4"	132	114.3	57.0	76.7
6"	191.2	168.3	76.7	102.6




NSF

ITEM NO: US8012

● MALE ADAPTOR

Size Nom	D	d1	d2	NPT	H	L
1/2"	30	21.34	9.4	1/2"	46.5	23.2
3/4"	35.8	26.67	14	3/4"	55.9	25.9
1"	44	33.4	18.8	1"	61	29.1
1 1/4"	53	42.16	26.8	1 1/4"	65.5	32.5
1 1/2"	60	48.26	32.4	1 1/2"	70.9	35.4
2"	73	60.33	43.3	2"	76.7	38.6
2 1/2"	88.2	73.03	51.0	2 1/2"	93.2	44.8
3"	104.9	88.9	66.0	3"	99.0	48.1
4"	132	114.3	89.9	4"	112	57.0
6"	191.2	168.3	138.3	6"	138.5	76.7
8"	247.2	219.08	186	8"	173	102.6
10"	305.9	273.05	235	10"	206	128
12"	361.5	323.85	281	12"	239	153.5



NSF


ITEM NO: US8E04

● FEMALE ELBOW

Size Nom	D	d	L	NPT
1/2"	32.5	21.34	22.7	1/2"
3/4"	38.1	26.67	25.9	3/4"
1"	46	33.4	29.1	1"
1 1/4"	55.9	42.16	32.3	1 1/4"
1 1/2"	63.5	48.26	35.4	1 1/2"
2"	76.2	60.33	38.6	2"

● REDUCING RING

Size Nom	D	d1	d2	d3	L1	L2	H
3/4"X1/2"	35	21.34	26.67	14	22.2	26	32.4
1"X1/2"	43	21.34	33.4	14	22.2	29	35.6
1"X3/4"	43	26.67	33.4	18	26	29	35.6
1 1/4"X1/2"	52.4	21.34	42.16	13.5	22.7	31.5	40
1 1/4"X3/4"	52.4	26.67	42.16	17.8	25.9	31.5	40
1 1/4"X1"	52.4	33.4	42.16	24	29.1	31.5	40
1 1/2"X1/2"	59	21.34	48.26	13	22.7	35	43
1 1/2"X3/4"	58.5	26.67	48.26	17.3	25.9	35	43
1 1/2"X1"	59	33.4	48.26	24.3	29.1	35	43
1 1/2"X1 1/4"	59	42.16	48.26	31.2	32.3	35	43
2"X1/2"	72	21.34	60.33	13	22.7	39	49
2"X3/4"	72	33.4	60.33	23.5	29.1	39	49
2"X1"	72	26.67	60.33	18	29.1	38.3	48.6
2"X1 1/4"	72	42.16	60.33	32	32.3	39	49
2"X1 1/2"	72	48.26	60.33	36.2	35.4	38.6	48.6
3"X1 1/2"	104.9	48.26	88.9	42	35.5	47.1	55.1
3"X2"	104.9	60.33	88.9	53.8	38.6	47.1	55.1
3"X2 1/2"	104.9	73.4	88.7	66	45	53.5	61.5
4"X1 1/2"	132.4	48.26	114.3	42	35.5	56.6	65.1
4"X2"	132.4	60.33	114.3	53.8	38.6	56.6	65.1
4"X3"	132.4	88.9	114.3	82	48.1	56.6	65.1
6"X4"	191.2	114.3	168.3	106.1	57.6	76.7	86.7




NSF


ITEM NO: US8C001

● CROSS TEE

Size Nom	D	d	L	H
1/2"	29.4	21.34	23	71
3/4"	35	26.67	26	82.5
1"	43	33.4	29	97.5
1 1/4"	52	42.16	32	111
1 1/2"	59	48.26	35	124
2"	72	60.33	39	143



ITEM NO: UP8S015




ITEM NO: UP8S012

FEMALE ADAPTOR WITH BRASS


Nom Size	D1	D	d	L	NPT	H
1/2"	45.3	29.4	21.34	23	1/2"	40.5
1/2"X3/4"	51.6	29.4	21.34	23	3/4"	43.5
3/4"	51.6	35	26.67	26	3/4"	46.5
3/4"X1/2"	45.3	35	26.67	26	1/2"	44.5
1"	59	43	33.4	29	1"	53.5
1"X3/4"	51.6	43	33.4	29	3/4"	50

PVC STOP VALVE TYPE I

Nom Size	D	d	G	L	H	D1	H1
20X1/2"	29.8	21.34	1/2"	22.7	80	35	30
25X3/4"	36	26.99	3/4"	24	82	42	
32X1"	43.7	33.7	1"	25	93	51.7	39



ITEM NO: UP8S016




ITEM NO: UP8S013

FEMALE ELBOW WITH BRASS

Nom Size	D1	D	d	L	NPT	h	h1
1/2"	42.9	29.4	21.34	23	1/2"	39.4	28
1/2"X3/4"	49.2	29.4	21.34	23	3/4"	38.5	31.5
3/4"	49.2	35	26.67	26	3/4"	45.9	34.5
3/4"X1/2"	42.9	35	26.67	26	1/2"	39.5	30.5
1"	56.7	43.54	34.05	29.08	1"	50	41
1 1/4"	67	52	42.16	32	1 1/4"	60	46.5
1 1/2"	73	59	48.26	35	1 1/2"	66	51
2"	87.6	72	60.33	39	2"	75	61

PVC STOP VALVE TYPE II

Nom Size	D	d	G	L	H	D1	H1
20X1/2"	29.8	21.34	1/2"	22.7	80	35	30
25X3/4"	36	26.99	3/4"	24	82	42	
32X1"	43.7	33.7	1"	25	93	51.7	39




ITEM NO: UU001

PVC SCH80 UNION

Nom Size	d1	D2	D1	I	L	NPT
1/2"	21.5	29.3	48.5	22.7	55.6	1/2"
3/4"	26.9	35.1	59	25.9	61.2	3/4"
1"	33.7	43.1	67.4	29.1	68	1"
1-1/4"	42.4	52.4	78.2	32.3	75.8	1-1/4"
1-1/2"	48.6	59	92.8	35.4	82.5	1-1/2"
2"	60.6	72	113.4	38.6	90.5	2"

FEMALE TEE WITH BRASS

Nom Size	D1	D	d	L	NPT	h	h1
1/2"	42.9	29.4	21.34	23	1/2"	28	77
1/2"X3/4"	49.2	29.4	21.34	23	3/4"	31.5	77
3/4"	49.2	35	26.67	26	3/4"	34.5	92
3/4"X1/2"	42.9	35	26.67	26	1/2"	30.5	79
1"	56.7	43.54	34.05	29.08	1"	41	100
1 1/4"	67	52	42.16	32	1 1/4"	46.5	120
1 1/2"	73	59	48.26	35	1 1/2"	51	132
2"	87.6	72	60.33	39	2"	61	150



ITEM NO: UP8S017