



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of
NSF/ANSI 14 - Plastics Piping System Components and Related Materials

This is the Official Listing recorded on May 11, 2022.

ERA PIPING (ZHEJIANG) Co., Ltd.
No. 1118 Huangjiao Road
Huangyan Economic Dev Zone
Taizhou, Zhejiang
China
86 576 8429 0287

Facility: Taizhou, China

Drain, Waste, and Vent - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Fitting</i>	<i>PVC</i>	<i>ERA</i>	<i>ASTM D2665</i>
45° Elbow			
1 1/2" (UDA00301)	2" (UDA00302)	3" (UDA00303)	
4" (UDA00304)			
90° Elbow			
1 1/2" (UDA00401)	2" (UDA00402)	3" (UDA00403)	
4" (UDA00404)			
Coupling			
1 1/2" (UDA00501)	2" (UDA00502)	3" (UDA00503)	
4" (UDA00504)			
Female Adaptor SLIP x FIPT			
1 1/2" (UDA00601)	2" (UDA00602)	3" (UDA00603)	
4" (UDA00604)			
Female Adaptor SPG x FIPT			
1 1/2" (UDA00901)	2" (UDA00902)	3" (UDA00903)	
4" (UDA00904)			
Male Adaptor SLIP x MIPT			
1 1/2" (UDA00901)	2" (UDA00902)	3" (UDA00903)	
4" (UDA00904)			
Male Adaptor SPG x MIPT			
1 1/2" (UDA00701)	2" (UDA00702)	3" (UDA00703)	
4" (UDA00704)			
Reducing Coupling			
4" x 2" (UDA01101)	4" x 3" (UDA01102)		
Skew Tee			
1 1/2" (UDA00202)	1" (UDA00201)	2" (UDA00203)	
3" (UDA00204)	4" (UDA00205)		
Tee			
1 1/2" (UDA00101)	2" (UDA00102)	3" (UDA00103)	
4" (UDA00104)			

Potable Water - Pipe and Fittings

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Product Type	Material Type	Trade Name	Product Standard
<i>Fittings</i> ⁺⁺⁺ [G]	CPVC	ERA	ASTM D2846
CPAS020 45° STREET ELBOW			
1/2" 3/4" 1"			
CPAS018 Male and Female Elbow CPVC ⁺⁺⁺			
1/2" 3/4" 1"			
CPAS02 Reducing Tee ⁺⁺⁺			
3/4" x 1/2" x 1/2"	3/4" x 3/4" x 1/2"	1/2" x 1/2" x 3/4"	
1" x 1/2" x 1/2"	1" x 3/4" x 3/4"		
CPAS05 TRANSITION COUPLING ⁺⁺⁺			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"		
90° Female Thread Elbow			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"		
45° Elbow			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4"	
90° Elbow			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4"	
90° Elbow with Bracket			
1/2" 3/4"			
Coupling			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4"	
Cross			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"		
End Cap			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"		
End Plug			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	3" 4"	
Female Adaptor			
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4"	
Female Elbow with Bracket			
1/2"			
Female Thread Tee			
1/2" 3/4" 1"			
Male Adaptor			
1/4" 1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4"	
Plug			
1/2" 3/4" 1"			
Reducing Bush			
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2" 1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1" 1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4" 2" x 1 1/2"
Reducing Elbow			
3/4" x 1/2"			
Reducing Male Adaptor			
3/4" x 1/2"			
Reducing Ring			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
3" x 1 1/2"	3" x 2"	4" x 1 1/2"	4" x 2"	4" x 3"
Reducing Socket				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	
Straight Tee				
1/2"	1/2" light	3/4"	1"	1 1/4"
1 1/2"	2"			
Reducing Tee				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
Socket				
1/2"	1/2" light	3/4"	1"	1 1/4"
1 1/2"	2"			
Step Over Bend				
1/2"	3/4"	1"		
Union				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2" 2 1/2" 3" 4"
CPAS10 IPS X CTS TRANSITION BUSHING				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2"
CPAS08 Reducing Elbow ⁺⁺⁺				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 1"
2" x 1"				
Fittings [@]				
		CPVC	ERA	ASTM F1970
Union				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2" 2 1/2" 3" 4"
Fittings				
		CPVC	ERA	ASTM F439
45° Elbow				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2" 2 1/2" 3" 4"
90° Elbow				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2" 2 1/2" 3" 4"
90° Female Thread Elbow				
1/2"	3/4"	2"	1 1/4"	1 1/2" 1"
Coupling				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2" 2 1/2" 3" 4"
End Plug				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2" 3" 4"
Female Adaptor				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2" 2 1/2" 3" 4"
Female Thread Tee				
1/2"	3/4"	1"		
Male Adaptor				
1/2"	3/4"	1"	1 1/4"	1 1/2" 2" 2 1/2" 3" 4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Reducing Ring

3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
3" x 1 1/2"	3" x 2"	4" x 1 1/2"	4" x 2"	4" x 3"

Reducing Tee

3/4" x 1/2"	2" x 1 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 3/4"	2" x 1/2"	2" x 1"	2" x 1 1/4"	1" x 1/2"

Straight Tee

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	
Fittings ⁺⁺⁺ [G]				MLTPL		ERA			ASTM D2846

CPAB01 BRASS threaded FEMALE ELBOW

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
1" x 1/2"	1" x 3/4"							

CPAB02 BRASS threaded FEMALE TEE

1/2"	3/4" x 1/2"	1" x 1/2"	1 1/4"	1 1/4" x 1/2"
------	-------------	-----------	--------	---------------

CPAB03 BRASS threaded MALE ADAPTOR

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	----	--------	--------	----

CPAB04 Brass threaded FEMALE ADAPTOR

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	----	--------	--------	----

CPAB08 BRASS threaded MALE ADAPTOR

3/4" x 1/2"	1" x 1/2"	1" x 3/4"
-------------	-----------	-----------

CPAB06 II BRASS MALE THREAD ADAPTOR

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	----	--------	--------	----

CPAB07 II BRASS FEMALE THREAD ADAPTOR

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
2	1" x 3/4"				

CPAB011 BRASS threaded MALE ELBOW

1/2"	3/4"	1"						
Fittings [#] + [G]			PVC		ERA			ASTM F1970

U8U001 PVC SCH80 Union, Socket

1/2" (U8U00101)	3/4" (U8U00102)	1" (U8U00103)
1 1/4" (U8U00104)	1 1/2" (U8U00105)	2" (U8U00106)

TS Flange

1/2" (UTF0101)	3/4" (UTF0102)	1" (UTF0103)
1-1/4" (UTF0104)	1-1/2" (UTF0105)	2" (UTF0106)
2-1/2" (UTF0107)	3" (UTF0108)	3-1/2" (UTF0109)
4" (UTF0110)	5" (UTF0111)	6" (UTF0112)
8" (UTF0113)		

Compact Ball Valve, Heavy Type

1/2" (UCB0101)	3/4" (UCB0102)	1" (UCB0103)
1 1/4" (UCB0104)	1 1/2" (UCB0105)	2" (UCB0106)
2 1/2" (UCB0107)	3" (UCB0108)	3 1/2" (UCB0109)
4" (UCB0110)	5" (UCB0111)	6" (UCB0112)

Compact Ball Valve, Light Type

1/2" (UCB01L01)	3/4" (UCB01L02)	1" (UCB01L03)
1 1/4" (UCB01L04)	1 1/2" (UCB01L05)	2" (UCB01L06)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Male Single Union Ball Valve

1/2" (USU0401)	3/4" (USU0402)	1" (USU0403)
1 1/4" (USU0404)	1 1/2" (USU0405)	2" (USU0406)
2 1/2" (USU0407)	3" (USU0408)	3 1/2" (USU0409)
4" (USU0410)		

Single Union Ball Valve

1/2" (USU0101)	3/4" (USU0102)	1" (USU0103)
1 1/4" (USU0104)	1 1/2" (USU0105)	2" (USU0106)
2 1/2" (USU0107)	3" (USU0108)	3 1/2" (USU0109)
4" (USU0110)		

True Union Ball Valves

1/2" (UTB0301)	3/4" (UTB0302)	1" (UTB0303)
1 1/4" (UTB0304)	1 1/2" (UTB0305)	2" (UTB0306)
2 1/2" (UTB0307)	3" (UTB0308)	4" (UTB0309)

Union

1/2" (UU00101)	3/4" (UU00102)	1" (UU00103)
1 1/4" (UU00104)	1 1/2" (UU00105)	2" (UU00106)
2 1/2" (UU00107)	3" (UU00108)	3 1/2" (UU00109)
4" (UU00110)		

Compression Coupling

1/2" (UCC0101)	3/4" (UCC0102)	1" (UCC0103)
1 1/4" (UCC0104)	1 1/2" (UCC0105)	2" (UCC0106)
2 1/2" (UCC0107)	3" (UCC0108)	3 1/2" (UCC0109)
4" (UCC0110)		

Single Union Spring Check Valve

1/2" (USU0201)	3/4" (USU0202)	1" (USU0203)
1 1/4" (USU0204)	1 1/2" (USU0205)	2" (USU0206)

UCBT01 Compact Ball Valve, Light Type, IPS Thread

1/2" (UCBT0101)	3/4" (UCBT0102)	1" (UCBT0103)
1 1/4" (UCBT0104)	1 1/2" (UCBT0105)	2" (UCBT0106)

UCBT01 Compact Ball Valve, Heavy Type, IPS Thread

1" (UCBT0101)	3/4" (UCBT0102)	1" (UCBT0103)
1 1/4" (UCBT0104)	1 1/2" (UCBT0105)	2" (UCBT0106)
2 1/2" (UCBT0107)	3" (UCBT0108)	4" (UCBT0109)
6" (UCBT0110)		

USUT01 Single Union Ball Valve, IPS Thread

1/2" (USUT0101)	3/4" (USUT0102)	1" (USUT0103)
1 1/4" (USUT0104)	1 1/2" (USUT0105)	2" (USUT0106)
2 1/2" (USUT0107)	3" (USUT0108)	4" (USUT0109)

UTBT01 True Union Ball Valve, IPS Thread

1/2" (UTBT0101)	3/4" (UTBT0102)	1" (UTBT0103)
1 1/4" (UTBT0104)	1 1/2" (UTBT0105)	2" (UTBT0106)
2 1/2" (UTBT0107)	3" (UTBT0108)	4" (UTBT0109)

UUT001 Union, IPS Thread

1/2" (UUT00101)	3/4" (UUT00102)	1" (UUT00103)
1 1/4" (UUT00104)	1 1/2" (UUT00105)	2" (UUT00106)
2 1/2" (UUT00107)	3" (UUT00108)	4" (UUT00109)

UCMA01 Male Compression Adapter

1/2" (UCMA0101)	3/4" (UCMA0102)	1" (UCMA0103)
-----------------	-----------------	---------------

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1 1/4" (UCMA0104)	1 1/2" (UCMA0105)	2" (UCMA0106)							
UCFT01 Female Compression Tee									
1/2" (UCFT0101)	3/4" (UCFT0102)	1" (UCFT0103)							
1 1/4" (UCFT0104)	1 1/2" (UCFT0105)	2" (UCFT0106)							
Van Stone Flange									
2" (UVF0101)	2-1/2" (UVF0102)	3" (UVF0103)							
3-1/2" (UVF0104)	4" (UVF0105)	5" (UVF0106)							
6" (UVF0107)	8" (UVF0108)	10" (UVF0109)							
12" (UVF0110)									
U8UT001 PVC SCH80 Union, Thread									
1/2" (U8UT00101)	3/4" (U8UT00102)	1" (U8UT00103)							
1 1/4" (U8UT00104)	1 1/2" (U8UT00105)	2" (U8UT00106)							
<i>Fittings⁺</i>	<i>PVC I-G1</i>	<i>ERA</i>						<i>ASTM D2466</i>	
45° Elbow									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4" 6"							
US4T03 Skew Tee									
1/2" 3/4" 1"									
90° Female Thread Elbow									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"								
Coupling									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4" 6"							
Cross									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	3" 4"							
End Plug									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4" 6"							
Female Adapter									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4" 6"							
Female Cap									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"								
Female Thread Elbow LONG									
3/4" x 1/2"									
Female Thread Elbow SHORT									
3/4" x 1/2"									
Female Thread Tee									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4" 6"							
Male Adapter									
1/2" 3/4" 1"	1 1/4" 1 1/2" 2"	2 1/2" 3" 4" 6"							
Male Thread Elbow									
1/2"									
Reducing Coupling									
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"					
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"					
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"					
Reducing Ring									
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"					
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"					

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
3" x 1 1/2"	3" x 2"	4" x 2"	6" x 4"	
Reducing Tee				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
Straight Tee				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
Thread Plug				
1/2"	3/4"	1"		
US4017 Reducing Male Adaptor				
3/4" x 1/2"				
US4015 Female Reducing Ring				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/2" x 1/2"	2" x 3/4"
2" x 1/2"	2" x 1"			
90° Elbow				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
<i>Fittings⁺ [6]</i>				
<i>PVC I-61 ERA ASTM D2467</i>				
45° Elbow				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
90° Elbow				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
90° Female Thread Elbow				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
Coupling				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
Cross				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
End Plug				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
Straight Tee				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
Female Thread Tee				
1/2"	3/4"	1"		
Male Adapter				
1/2"	3/4"	1"	1 1/4"	1 1/2"
2"	2 1/2"	3"	4"	6"
Reducing Coupling				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
Reducing Ring				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
3" x 1 1/2"	3" x 2"	4" x 1 1/2"	4" x 2"	4" x 3"
6" x 4"				
Reducing Tee				

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"					
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"					
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"					
Female Adapter									
1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
Pipe ⁺⁺⁺		CPVC			ERA Pipe			ASTM D2846	
1/2" - 2"	SDR 11								

Product tested for use in 73°F with a rated pressure of 150 psi.

+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.

@ CPVC union rated as 100psi at 180°F.

+++ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.